



4sustainability® is an innovative implementation framework and a registered mark assuring the sustainability performances of fashion & luxury supply chain.

The framework is built and continuously updated in line with the best methodologies, standards and practices.



SERICA 1870

Serica 1870 S.r.l.

has joined the 4sustainability® Commitment and applies the 4s CHEM Protocol for eliminating toxic and harmful substances in production through the ZDHC MRSL.

CHEM IMPLEMENTATION LEVEL



COMPANY ID Nr. 4S-100200

ASSURANCE RATING: 86%

VERS. PROTOCOL CHEM: 5.0

ISSUE DATE: 02/04/2024

EXPIRATION DATE: 02/04/2025

Issue by:
Process Factory s.r.l.
Via A. Da Noli, 4/6 - 50127 Firenze
CF/P.IVA: 058052004





ABSTRACT

4s Assurance Report Chemical Management Version 5.0



Serica 1870 S.r.l.

4s REQUIREMENTS

Management system

Evaluating the implementation of a chemical management system within the company. The verified requirements range from the presence and communication of an internal sustainability policy, to staff training, as well as to the definition of reduction targets and monitoring of over-time performance.

Chemical risk management

Assessing chemicals risk management within the factory. The verified requirements measure the chemical inventory information management, the related qualification level to ZDHC MRSL 2.0, and related pahse put plan and improvement plan.

Materials risk management

Assessing the management and control system of incoming materials and their compliance level with 4sustainability PRSL, as a tool for reducing the risk of incoming contamination in the production process.

Supply Chain assessment

Evaluating the company's supply chain management and assessment. The verified requirements measure the mapping activity, qualification, engagement, training and monitoring of subcontractors and material suppliers and all the procedures in place.

Process management

Assessing the production processes management and traceability. The verified requirements measure the correct functioning of the internal traceability system and its digitalization. Morover it includes processe due-diligence tests in order to monitor contamination on the products.


Chemical Health&Safety

Assessing health and safety requirement linked to chemical management. The verified requirements range from labeling, handling and storage of chemical products within the factory, to emergency procedure and waste management.


Output Management

Evaluating the company management of process output. The verified requirements range from legal permission for emission to the control of waste water according to ZDHC Guidelines. for internal and external processes and final product testing.

4S REQUIREMENT - IMPLEMENTATION LEVEL



ASSURANCE RATING



86%

ASSURANCE DATE

20/03/2024



PRODUCTION MODEL

The company manufactures and sells fabrics.
The company does not carry out any internal processes,
and outsources processes of dyeing, printing and finishing.

Name of Internal Chemical Manager:


Sara Della Colletta

ZDHC accredited training course and date:


ZDHC CMS TIG Training - 02/05/2023

INPUT

CHEMICALS vs MRSL ZDHC v.3.1



VERIFIED CHEMICAL INVENTORY - SUPPLY CHAIN AVERAGE




The production coverage is calculated from the meters of textile wet processed by the subcontractors. For yarn dyeing a linear weight of 0,18 kg has been assumed.

TOT n. of verified chemical inventory:

1

RAW MATERIALS


RAW MATERIALS SUPPLIERS RATING



- % of purchases from material suppliers with high rating
- % of purchases from material suppliers with medium rating
- % of purchases from material suppliers with low rating
- % of purchases from material suppliers with no rating

PROCESS

CHEMICAL HIGH-RISK EXTERNAL PROCESSES SUBCONTRACTORS RATING



- % of externalised volume to high-risk processes subcontractor with high rating
- % of externalised volume to high-risk processes subcontractors with medium rating
- % of externalised volume to high-risk processes subcontractors with low rating
- % of externalised volume to high-risk processes subcontractors with no rating

OUTPUT

EXTERNAL WASTEWATER

SUBCONTRACTOR 1

% OF EXTERNAL WORKLOAD: 95,6%

Indirect Discharge without Pre-Treatment (CETP - Central Effluent Treatment Plant)

WW Testing performed yearly: 1

Conventional and Anions

N/A

- % ASPIRATIONAL
- % PROGRESSIVE
- % FOUNDATIONAL
- % ALERT
- % NOT ANALYSED

MRSL



- % MEETS THE REQUIREMENTS
- % DOESN'T MEET THE REQUIREMENTS
- % NOT ANALYSED

Metals



- % ASPIRATIONAL
- % PROGRESSIVE
- % FOUNDATIONAL
- % ALERT
- % NOT ANALYSED

SLUDGE

N/A